

WATER HEATER CATALOG

2025





EXCELLENCE IN MANUFACTURING, INNOVATION AT HEART









At Aqua-fide, we take pride in being a high-end producer of end-to-end Home Solution products. From the start, our vision has been clear: to represent precision, performance, and premium design, all backed by robust in-house manufacturing and a firm commitment to international quality standards.

Our operations are built on principles we deeply value – transparency, ethical business practices, and a constant drive for improvement. We've implemented stringent quality control processes at every stage – from raw material sourcing and manufacturing to final inspection and packaging – ensuring that every product we deliver stands as a benchmark of strength, functionality, and design integrity.

We believe in being customer-first, always. We make it a point to listen to the market and respond with agility to regional demands. Our dedicated R&D and product development teams work hand-in-hand with designers, engineers, and partners to craft solutions that are not only elegant but also smart, sustainable, and future-ready.

Doing business the right way matters to us. That means maintaining a safe, clean, and ethical workplace, reducing our environmental footprint through responsible manufacturing, and fostering long-term, trust-driven relationships with both our suppliers and customers.

With a global outlook and the ability to adapt locally, Aqua-fide has earned the trust of architects, developers, and retailers across key markets – as a brand that delivers comprehensive, high-quality solutions with craftsmanship, innovation, and care at its core.

PAGE 2 WWW.AQUA-FIDE.COM



WATER HEATERS WITH AN ADVANTAGE

To give the customers best of the features and safety, Aqua-fide water heater presents complete range of world class safety, Life, Savings and many other parameters

SAFETY ADVANTAGE



Multi-Function Safety Valve:

The safety valve is designed to automatically relieve and discharge water, in case the pressure overshoots the preset limits.



Double Safety Thermostat:

Dual overheating control mechanism cuts-off power automatically even if primary cutoff fails.

LIFE ADVANTAGE



Enamel MS tank:

Enamel technology increases the life of the inner tank. The lining is stronger and more corrosion resistant than any other in the industry.



Enamel Coated Element:

Scale and sediment build-up on the surface of the element can lead to premature failure. Aquafide Enamel Coating helps to prevent scale formation and extends the life of the heating element.

SAVINGS ADVANTAGE



High Density Insulation:

PUF Insulation to minimize heat loss and maximize energy savings.



Cathodic Protection:

The anode rod in Tank uses a special cathodic action to fight Corrosive elements and thus prolong the life of the water heater.

PAGE 3 WWW.AQUA-FIDE.COM

KNOW YOUR WATER HEATER

Key components of Aqua-fide water heaters and the technical advancements we've made to ensure they provide safe, reliable, and energy-saving solutions for consumers.

High Quality Heating Element

Delivers exceptional heating efficiency, extended durability, and minimal energy loss for long-term performance.

Heavy Gauge Tank

Constructed from 1.8-2 mm ultra-thick cold-rolled steel for superior strength and durability.

Blue Diamond Enamel Coating

All models feature advanced rust and corrosion protection with a 0.5 mm Blue Diamond coating, offering significantly higher resistance than standard inner tank designs.

Heavy Duty Anode Rod

With Steel core, protects extra protection for tank

High Density Foam Insulation

CFC-free insulation with a comprehensive protection design, up to 25% thicker than standard, effectively minimizing radiant heat loss.

Cold Water Inlet With Whirlflow

Designed to prevent direct contact between cold and hot water, enabling faster heating and maximizing energy efficiency

Multi Function Safety Valve

Automatically releases water when temperature or pressure exceeds preset limits, ensuring safety and quick activation under pressure conditions from 0.005 MPa to 0.8 MPa.

Service Panel

Features an anti-scratch, immersed lock design for easy and convenient part replacement.

Adjustable Temperature

Allows temperature setting from 25 - 75°C

5 Bolt Flange

Easier product maintenance

T KNOB

Allows easy temperature adjustment for optimal heating.

12 Temperature Meter

Displays the current water temperature for precise monitoring and control.






PAGE 4 WWW.AQUA-FIDE.COM



Model		AQUA-IT03	AQUA-IT05		
Capacity (Litres)	Litres	3 5			
Heating Element (KW)	KW	3 / 4.5	3 / 4.5		
Heating Element Mateial		Copper			
Voltage/Frequency (V/Hz)		230~/50Hz			
Operating Temperature (oC)		25-75			
Inner Tank		SS 304 (0.7 mm Thick)			
Outer Body		PP			
Rated Water Pressure (Bar)	Bar	6.5			
Safety Devices		PRV, Thermostat, Thermal Cut-out			
Thermal Insulation		Glass Wool			

DIMENSIONS

Model		AQUA-IT03	AQUA-IT05
Width (W)	mm	192	230
Height (H)	mm	420	500
Depth (D)	mm	192	240
Net Weight	Kgs	2.15	2.86
Gross Weight	Kgs	2.65	3.74




PAGE 6 WWW.AQUA-FIDE.COM




Model		AQUA-SQ10	AQUA-SQ15	AQUA-SQ30		
Capacity	Litres	10	15	30		
Heating Element	KW	2	2	2		
Heating Element Material		Copper				
Voltage/Frequency	V/Hz		230~/50Hz			
Operating Temperature	°C	25-75				
Inner Tank		Glass Lined MS Tank				
Outer Body		ABS Plastic Body				
Rated Water Pressure (Bar)	Bar	8				
Safety Devices		MFSV, Thermostat, Thermal Cut-out				
Thermal Insulation		Injected PUF				
BEE Rating		5 Star Rated				
IP Rating		IPX4				

DIMENSIONS

Model		AQUA-SQ10	AQUA-SQ15	AQUA-SQ25
Width (W)	mm	380	410	440
Height (H)	mm	420	440	425
Depth (D)	mm	320	375	400
Net Weight	Kgs	8.63	9.73	13.4
Gross Weight	Kgs	11.29	12.79	15.68






PAGE 8 WWW.AQUA-FIDE.COM



Model		AQUA-VTM15	AQUA-VTM30	AQUA-VTM50	AQUA-VTM70	AQUA-VTM100
Capacity	Litres	15	30	50	70	100
Heating Element	KW	2	2	2	2	2
Heating Element Material				Copper		
Voltage/Frequency	V/Hz			230~/50Hz		
Operating Temperature	°C	25-75				
Inner Tank		Glass Lined MS Tank				
Outer Body		Pre Coated Metalic Body				
Rated Water Pressure	Bar	8				
Safety Devices		MFSV, Thermostat, Thermal Cut-out				
Thermal Insulation		Injected PUF				
IP Rating		IPX4				

DIMENSIONS

Model		AQUA- VTM15	AQUA- VTM30	AQUA- VTM50	AQUA- VTM70	AQUA- VTM100
Width (W)	mm	330	370	460	460	460
Height (H)	mm	480	570	680	870	1050
Net Weight	Kgs	8.78	11.98	18.53	23.05	27.32
Gross Weight	Kgs	10.27	14.73	21.26	27.12	29.92




PAGE 10 WWW.AQUA-FIDE.COM



Model		AQUA-HTM15	AQUA-HTM30	AQUA-HTM50	AQUA-HTM70	AQUA-HTM100	
Capacity	Litres	15	30	50	70	100	
Heating Element	KW	2	2	2	2	2	
Heating Element Material				Copper			
Voltage/Frequency	V/Hz			230~/50Hz			
Operating Temperature	°C		25-75				
Inner Tank		Enamel Coated MS					
Outer Body			Pre Coated Metallic Body				
Rated Water Pressure (Bar)	Bar	8					
Safety Devices		MFSV, Thermostat, Thermal Cut-out					
Thermal Insulation		Injected PUF					
IP Rating		IPX4					

DIMENSIONS

Model		AQUA-HTM15	AQUA-HTM30	AQUA-HTM50	AQUA-HTM70	AQUA-HT100
Width (W)	mm	330	330	385	460	460
Height (H)	mm	540	850	950	870	1050
Net Weight	Kgs	9.9	14.12	18.59	23.06	27.32
Gross Weight	Kgs	11.6	16.56	20.63	27.12	29.92



PAGE 12 WWW.AQUA-FIDE.COM

MAMMOTH HEATING SOLUTIONS

Mammoth - A Trusted American HVAC Brand, With manufacturing in the USA and China, Mammoth offers one of the widest ranges of HVAC solutions for diverse applications. Our advanced heat pump range, backed by a strong global presence, delivers reliable, energy-efficient performance across residential, commercial, and industrial sectors.





Split Type Heat Pump



Pool Heat Pump



A2W Commercial Heat Pump



W2W Commercial Heat Pump



High Temp. W2W Heat Pump

PAGE 13 WWW.AQUA-FIDE.COM





"Turn On the Warmth. Turn Off the World."

Contact

Web. www.aqua-fide.com Mail: global@aqua-fide.com

